- 2. (Amended) The biotin-avidin-biotin complex according to claim 1, wherein at least one of said biotinylated substances is a biotinylated binding component and at least one of said biotinylated substances is a biotinylated labeling substance.
- 3. (Amended) A process for preparing said biotin-avidin-biotin complex according to claim 1, comprising the steps of:
- (1) treating an avidin with a crosslinking agent to prepare a crosslinked avidin;
- (2) biotinylating the same or different substances to be biotinylated to prepare the same or different biotinylated substances; and
- (3) binding said crosslinked avidin and said same or different biotinylated substances to form said biotin-avidin-biotin complex according to claim 1.
- 6. (Amended) A method for analyzing a compound to be analyzed, said method comprising the steps of:
 - (1) providing a sample suspected of containing said compound to be analyzed;
 - (2) bringing into contact sequentially and in any order said sample, a biotinylated binding component capable of specifically binding said compound, a crosslinked avidin, and a biotinylated labeling substance, to form a complex of said compound to be analyzed, said biotinylated binding component, said crosslinked avidin, and said biotinylated labeling substance; and
 - (3) analyzing a signal derived from said labeling substance in said complex.
- 7. (Amended) The analyzing method according to claim 6, wherein said binding compound is selected from the group consisting of an antibody, an antibody fragment, an





Wy cons

antigen, a DNA, an RNA, a receptor, a ligand to a receptor, an enzyme, a ligand to an enzyme, an enzyme analogue, a substrate for an enzyme which is an origin of an enzyme analogue, a lectin, and a sugar.

- 9. (Amended) The analyzing method according to any one of claims 6 to 8, wherein said biotinylated labeling substance is selected from the group consisting of a biotinylated enzyme, a biotinylated fluorescent substance, a protein bound to a biotinylated fluorescent substance, a biotinylated luminescent substance, a protein bound to a biotinylated luminescent substance, and a biotinylated radioactive isotope.
- 10. (Amended) The analyzing method according to claim 9, wherein said biotinylated enzyme is a biotinylated fused protein of an enzyme and a biotin acceptor.
- 11. (Amended) The analyzing method according to claim 9, wherein said biotinylated enzyme is a biotinylated luciferase.
- 12. (Amended) The analyzing method according to any one of claims 6 to 8, wherein said crosslinked avidin is selected from the group consisting of a crosslinked egg-white avidin, a crosslinked streptoavidin, and a crosslinked recombinant avidin.--

Please add the following new claims:

--24. (New) The analyzing method according to claim 9, wherein said crosslinked avidin is selected from the group consisting of a crosslinked egg-white avidin, a crosslinked streptoavidin, and a crosslinked recombinant avidin.





- 25. (New) The analyzing method according to claim 10, wherein said crosslinked avidin is selected from the group consisting of a crosslinked egg-white avidin, a crosslinked streptoavidin, and a crosslinked recombinant avidin.
- 26. (New) The analyzing method according to claim 11, wherein said crosslinked avidin is selected from the group consisting of a crosslinked egg-white avidin, a crosslinked streptoavidin, and a crosslinked recombinant avidin.
 - 27. (New) An analyzing reagent comprising a mixture of:
- (1) a biotinylated binding component;
- (2) a crosslinked avidin; and
- (3) a biotinylated labeling substance.
- 28. (New) The analyzing reagent of claim 27, wherein said binding component is selected from the group consisting of an antibody, an antibody fragment, an antigen, a DNA, an RNA, a receptor, a ligand to a receptor, an enzyme, a ligand to an enzyme, an enzyme analogue, a substrate for an enzyme which is an origin of an enzyme analogue, a lectin, and a sugar.
- 29. (New) The analyzing reagent of claim 28, wherein said antibody fragment is an Fab' fragment.
- 30. (New) A method for analyzing a compound to be analyzed, said method comprising the steps of:
- (1) providing a sample suspected of containing said compound to be analyzed;
- (2) providing a biotin-avidin-biotin complex comprising a biotinylated binding component and a biotinylated labeling substance, and a crosslinked avidin sandwiched therebetween;

(3) bringing said sample into contact with said biotin-avidin-biotin complex to form a complex of said compound to be analyzed and said biotin-avidin-biotin complex; and

(4) analyzing a signal derived from said labeling substance in said complex formed in step (3).--